


| 8 | 7 | | 6 | |
|--|---|----------------------------|---------------------------------------|-----|
| | D FOR PUBLICATION 2007 .L RIGHTS RESERVED. | | | |
| | | | | |
| A SURFACE TRACES PER STANDOFFS, SHOWN | MITTED WITHIN THIS A IN DETAIL S, CONTACT | | WHERE CAGE | |
| PITCH BETWEEN PORT | S OF ONE IX3 CAGE AS | SEMBLY. | | |
| A SPACING BETWEEN CA CUSTOMER, MUST COM | GES ON THE SAME PC E MPLY WITH MINIMUM DI | SOARD, TO B MENSIONS SF | E SPECIFIED BY IOWN. | |
| A REFERENCE APPLICAT DIAMETER AND PLAT | ION SPEC 114-13218 F ING THICKNESS. | OR RECOMME | NDED DRILL HOLE | |
| S UNPLATED THRU HOLE | • | | | |
| DATUMS AND BASIC D | IMENSIONS ESTABLISHE | D BY CUSTO | MER. | |
| 🛆 DATUM -A- IS TOP | SURFACE OF PC BOARD. | | | |
| SINGLE SIDED = | NOMINAL THICKNESS (THICKNESS: I.45mm 2.2mm PER QSFP | F CUSTOMER | SUPPLIED PC BOARD. | |
| 9. MATES WITH QSFP MS | SA COMPATIBLE TRANSC | EIVER. | | |
| BASELINE FOR THESE | DIMENSIONS IS THE C | ENTER OF C | OMPLIANT PIN HOLE. | |
| 2D BARCODE AND DAT | E CODE (YYWWD) MARKE | D APPROXIM | ATELY AS SHOWN. | |
| 12 REFERENCE APP SPEC | II4-I32I8 FOR GASKE | T THICKNES | S CALCULATION. | |
| MATERIAL: | | ТИТСИ | | |
| EMI SPRINGS: COF FRONT FLANGE: Z | | I H I C N | | |
| EMI SPRINGS: 2µr | ∞ M N M M T N | | | |
| FRONT FLANGE: 3) | um MINIMUM TIN OVER .08µm MINIMUM COPPER | I.27µm MINI | MUM NICKEL OVER | |
| . C | . U8µm MINIMUM COPPER | ۰, | | |
| | | | | |
| | | | | |
| | (60) — | | | |
| | 1 | | | |
| | | | Ā | |
| | | Ĵ▋゙゙゙゙゙゚ [ੑ] | T T T T T T T T T T T T T T T T T T T | |
| | | | | 03) |
| | | ╶╻╨┎╼╍╼╼ | | |
| | | | | |
| | | | | |
| - | | | | |
| | 2 | | | |
| | | | FRONT FLANGE | |
| | | | | |
| | | | | |
| | | | | |







4



5



THIS PRODUCT HAS NOT COMPLETED VALIDATION/QUALIFICATION TESTING





| | | | 1 | | |
|---|-----|---------------------------|-------------------|------------------------|----------------------------|
| | | REVISIONS | | | |
| Р | LTR | DESCRIPTION | DATE | DWN | APVD |
| | D | REVISED PER ECO-15-000148 | 9APR2015 | RG | MC |
| | | | | | |
| | | | | | |
| | | | | | |
| | P | P LTR D | P LTR DESCRIPTION | P LTR DESCRIPTION DATE | P LTR DESCRIPTION DATE DWN |

_____2D BARCODE AND DATE CODE

 \bigwedge

3






SEE DETAIL S


| | | | | | 7 4 |
|----------------------------|--|------------------------|------------|--------------|-------------|
| | | | | 200747 | 4 - |
| | | | | P A R | \top |
| | | | | NUMB | ER |
| CONTROLLED DOCUMENT. | wn 07NOV2007 <u>C. VALENTINE</u> нк 07NOV2007 E. BRIGHT | -= 1 | ТЕ ТЕ | Connectivity | |
| OTHERWISE SPECIFIED: | | NAME IX3 CAGE ASS | SEMBLY, BE | HIND BEZE | L, |
| 1 PLC ±0.1 2 PLC ±0.1 | 108-2286 PPLICATION SPEC | QSFP - | | | |
| 4 PLC ±0.0001 ANGLES ±- | 4 - 32 8 | SIZE CAGE CODE DRAWING | NO | RE | STRICTED TO |
| | /EIGHT _ | A 00779 C - 20 | 07474 | | - |
| <u>∠ 4</u> C | CUSTOMER DRAWING | | SCALE 3:1 | HEET OF 4 | REV |


D

В



| THIS DRAWING IS A |
|-------------------|
| |
| DIMENSIONS: |
| mm |
| |
| ÷ |
| \downarrow — |
| MATERIAL |
| TBD |
| - |








| С | CONTROLLED DOCUMENT. | DWN 07NOV2007 С. VALENTINE снк 07NOV2007 Е. BRIGHT | TE Connectivity |
|---|---|---|--|
| | TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±0.013 | | NAME IX3 CAGE ASSEMBLY, BEHIND BEZEL, QSFP - |
| | 4 PLC ±0.0001 ANGLES ±- FINISH - | 4- 32 8 WEIGHT | SIZE CAGE CODE DRAWING NO RESTRICTED TO A 1 0 0 7 7 9 C= 2007474 - |
| | - | CUSTOMER DRAWING | SCALE 3:1 SHEET 3 OF REV D |

В



ТВD

| 2 | | | | | ļ | | | |
|---|---|-----|-------------|-----------|---|------|-----|------|
| | | | RE | VISIONS | | | | |
| | Ρ | LTR | DE | SCRIPTION | | DATE | DWN | APVD |
| | | - | SEE SHEET I | | | - | - | - |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| \ C | CONTROLLED DOCUMENT. | DWN 07NOV2007 C. VALENTINE CHK 07NOV2007 | TE Connectivity |
|-----|--|--|---|
| | TOLERANCES UNLESS OTHERWISE SPECIFIED: E.BRIGHT APVD 07NOV2007 E.BRIGHT 07NOV2007 PRODUCT SPEC 1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±0.013 | | NAME IX3 CAGE ASSEMBLY, BEHIND BEZEL, QSFP - |
| | 4 PLC ±0.0001 ANGLES ±- | 4 - 32 8 | SIZE CAGE CODE DRAWING NO RESTRICTED |
| | FINISH - | WEIGHT _ | A 00779 C = 2007474 - |
| | - | CUSTOMER DRAWING | SCALE 3 I SHEET OF REV |

В